【 <u>Process Instrument</u> List & Charges 】

【Go to Characterization Instrument】

Туре	Instrument	Location	Introduction	Operating Manual	Service Request	Technician Contact Information Deputy Contact Information	Examiner Contact Information	Charge
	E-Gun Evaporation System I	R133 in NTHU Lab	Link Here	Download	Download	Ms. Kuo TEL: 03 – 5742299 or NTHU Ext. 42299 E-mail : kuowenfeng@hotmail.com (Deputy) Ms. Wu	Ms. Kuo TEL: 03 – 5742299 or NTHU Ext. 42299 E-mail : <u>kuowenfeng@hotmail.com</u>	Link Here
	E-Gun Evaporation System II		Link Here	Download	Download	Ms. Wu TEL: 03 - 5742291 or NTHU Ext. 42291 E-mail : wury@mx.nthu.edu.tw (Deputy) Ms. Kuo	Ms. Wu TEL: 03 - 5742291 or NTHU Ext. 42291 E-mail : <u>wury@mx.nthu.edu.tw</u>	Link Here
Deposition Pocess Tools	E-Gun Evaporation System III	NTHU Lab Cleanroom	Link Here	Download	Download	Ms. Chang TEL: 03 - 5742298 or NTHU Ext. 42298 E-mail : changcw@mx.nthu.edu.tw (Deputy) Ms. Wu	Ms. Chang TEL: 03 - 5742298 or NTHU Ext. 42298 E-mail : <u>changcw@mx.nthu.edu.tw</u>	Link Here
	Polymer Deposition System (PDS)	_	Link Here	Download	Download	Ms. Wu TEL: 03 - 5742291 or NTHU Ext. 42291 E-mail : wury@mx.nthu.edu.tw (Deputy) Mr. Sung	Ms. Wu TEL: 03 - 5742291 or NTHU Ext. 42291 E-mail : <u>wury@mx.nthu.edu.tw</u>	Link Here
Deposit	SAMCO PECVD System	NTHU Lab Cleanroom		Download	Download	Ms. Wu TEL: 03 - 5742291 or NTHU Ext. 42291 E-mail : wury@mx.nthu.edu.tw	Ms. Wu TEL: 03 - 5742291 or NTHU Ext. 42291 E-mail : <u>wury@mx.nthu.edu.tw</u>	Link Here
	DC Sputter System		Link Here	Download	Download	(Deputy) Ms. Chang Ms. Chang TEL: 03 - 5742298 or NTHU Ext. 42298 E-mail : changcw@mx.nthu.edu.tw (Deputy) Ms. Kuo	Ms. Chang TEL: 03 - 5742298 or NTHU Ext. 42298 E-mail : <u>changcw@mx.nthu.edu.tw</u>	Link Here
	RF Sputter System	_ NTHU Lab Cleanroom	Link Here	Download	Download	Ms. Kuo TEL: 03 - 5742299 or NTHU Ext. 42299 E-mail : kuowenfeng@hotmail.com (Deputy) Ms. Chang	Ms. Kuo TEL: 03 - 5742299 or NTHU Ext. 42299 E-mail : <u>kuowenfeng@hotmail.com</u>	Link Here
Pocess	Lithography Area in NTHU Lab Cleanroom A. Wet Bench (2 Sets)		Link Here	A Download B Download		Mr. Sung TEL: 03 - 5742290 or NTHU Ext.42290 E-mail : sungmy@mx.nthu.edu.tw	Mr. Sung TEL: 03 - 5742290 or NTHU Ext.42290 E-mail : sungmy@mx.nthu.edu.tw	Link Here
Wet Etching I Tools	B. Spin Coater C. Hot Plate & Hood Chemical area in NTHU Lab (Station I & Station II & Station III)	NTHU Lab Cleanroom	Link Here	<u>C Download</u>	Download	(Deputy) Ms. Kuo Ms. Chang TEL: 03 - 5742298 or NTHU Ext. 42298 E-mail : changcw@mx.nthu.edu.tw	Ms. Chang TEL: 03 - 5742298 or NTHU Ext. 42298	Link Here

1								
						Mr. Sung TEL: 03 - 5742290 or NTHU Ext. 42290 E-mail : sungmy@mx.nthu.edu.tw	E-mail : <u>changcw@mx.nthu.edu.tw</u>	
<u>0</u> <u>0</u>		i						
Dry Etching Pocess Tools	Reactive lon Etcher (RIE)	NTHU Lab Cleanroom	Link Here	Download	Download	Mr. Sung TEL: 03 - 5742290 or NTHU Ext. 42290 E-mail : sungmy@mx.nthu.edu.tw (Deputy) Ms. Kuo	Mr. Sung TEL: 03 - 5742290 or NTHU Ext. 42290 E-mail : <u>sungmy@mx.nthu.edu.tw</u>	Link Here
	EVG610 Double Side Aligner		Link Here	Link Here	Link Here	Mr. Sung TEL: 03 - 5742290 or NTHU Ext.42290 E-mail : sungmy@mx.nthu.edu.tw (Deputy) Ms. Chang	Mr. Sung TEL: 03 - 5742290 or NTHU Ext.42290 E-mail : <u>sungmy@mx.nthu.edu.tw</u>	Link Here
	DLP Maskless Exposure System	NTHU Lab Cleanroom	Link Here	Download	Download	Ms. Cheng TEL: 03 - 5715131 Ext. 33313 E-mail : cnmm1015@gmail.com (Deputy) Dr. Sun-Zen Chen Ext. 42285 E-mail : szchen@mx.nthu.edu.tw	Ms. Cheng - TEL: 03 - 5715131 Ext. 33313 E-mail : <u>cnmm1015@gmail.com</u>	Link Here
y Tools	EVG620		Link Here	Download	Download	Ms. Kuo TEL: 03 - 5742299 or NTHU Ext. 42299 E-mail : kuowenfeng@hotmail.com (Deputy) Mr. Sung	Ms. Kuo TEL: 03 - 5742299 or NTHU Ext. 42299 E-mail : <u>kuowenfeng@hotmail.com</u>	Link Here
Lithography Tools	NX2000 Nano Imprint System		<u>Link Here</u>	<u>Download</u>		Mr. Sung TEL: 03 - 5742290 or NTHU Ext.42290 E-mail : sungmy@mx.nthu.edu.tw (Deputy) Ms. Tai	Mr. Sung TEL: 03 - 5742290 or NTHU Ext.42290 E-mail : <u>sungmy@mx.nthu.edu.tw</u>	Link Here
	E-beam lithography System	R130 in NTHU Lab	Link Here	Download	Download	Ms. Cheng TEL: 03 - 5715131 Ext. 33313 E-mail : cnmm1015@gmail.com (Deputy) Dr. Sun-Zen Chen Ext. 42285 E-mail : szchen@mx.nthu.edu.tw	Ms. Chen <u>g</u> - TEL: 03 - 5715131 Ext. 33313 E-mail : <u>cnmm1015@gmail.com</u>	Link Here
Tools	O ₂ Plasma Cleaning System	NTHU Lab	Link Here	Download	Download	Ms. Kuo TEL: 03 - 5742299 or NTHU Ext. 42299 E-mail : kuowenfeng@hotmail.com (Deputy) Ms. Tai	Ms. Kuo TEL: 03 - 5742299 or NTHU Ext. 42299 E-mail : <u>kuowenfeng@hotmail.com</u>	Link Here
Other Tools	RTP	Cleanroom	Link Here	<u>Download</u>	 Download	Ms. Wu TEL: 03 - 5742291 or NTHU Ext. 42291 E-mail : wury@mx.nthu.edu.tw (Deputy) Mr. Sung	Ms. Wu TEL: 03 - 5742291 or NTHU Ext. 42291 E-mail : <u>wury@mx.nthu.edu.tw</u>	Link Here

UV & Ozone Dry Stripper	Stripper <u>Link Here</u> <u>Download</u> <u>Do</u>		Download	Ms. Chang TEL: 03 - 5742298 or NTHU Ext. 42298 E-mail : changcw@mx.nthu.edu.tw	Ms. Chang TEL: 03 - 5742298 or NTHU Ext. 42298	Link Here
				(Deputy) Ms. Kuo	E-mail : <u>changcw@mx.nthu.edu.tw</u>	
∝-step (Surface profiler System)	Link Here	Download		Ms. Kuo TEL: 03 - 5742299 or NTHU Ext. 42299 E-mail : kuowenfeng@hotmail.com	Ms. Kuo TEL: 03 - 5742299 or NTHU Ext. 42299 E-mail : <u>kuowenfeng@hotmail.com</u>	Link Here
				(Deputy) Ms. Cheng		
Spectroscopic Ellipsometry	Link Here		<u>Download</u>	Ms. Wu TEL: 03 - 5742291 or NTHU Ext. 42291 E-mail : wury@mx.nthu.edu.tw	Ms. Wu TEL: 03 - 5742291 or NTHU Ext. 42291 E-mail : <u>wury@mx.nthu.edu.tw</u>	Link Here
				(Deputy) Ms. Tai		

1140710 update

[Characterization Instrument List & Charges]

Туре	Instrument	Location	Introduction	Service Request	Technician Contact Information	Examiner Contact Information	Charge
	Field Emission Scanning Electron Microscope (JSM-7000F)		<u>Link Here</u>	<u>Download</u>	Ms. Tai TEL: 03 - 5742292 or NTHU Ext. 42288/35332/42292 E-mail : <u>yhtai@mx.nthu.edu.tw</u>	Ms. Tai TEL: 03 - 5742292 or NTHU Ext. 42288/35332/42292 E-mail : <u>yhtai@mx.nthu.edu.tw</u>	<u>Link Here</u>
Microscope	Field Emission Scanning Electron Microscope (JSM-IT800)	R131 in NTHU Lab	<u>Link Here</u>	Download	Ms. Tai TEL: 03 - 5742292 or NTHU Ext. 42288/35332/42292 E-mail : <u>yhtai@mx.nthu.edu.tw</u>	Ms. Tai TEL: 03 - 5742292 or NTHU Ext. 42288/35332/42292 E-mail : <u>yhtai@mx.nthu.edu.tw</u>	Link Here
Electron	igh Vacuum Scanning Probe Microscope SPM)(Service Suspended)	R132 in NTHU Lab	Link Here	Download			Link Here
	High Resolution Transmission Electron Microscope (HRTEM)	R110 in Materials Science Laboratory	Link Here	<u>Download</u>	Ms. Chuang (Administrative Contact) 03 – 5715131 Ext. 42266 E-mail : <u>ntmc8000@my.nthu.edu.tw</u>	No self - operation	Link Here
	Dual-beam Focused Ion Beam System (FIB) R122 in N		Link Here	Download	Ms. Chuang (Administrative Contact) 03 – 5715131 Ext. 42266 E-mail : <u>ntmc8000@my.nthu.edu.tw</u>	Ms. Chuang (Administrative Contact) 03 – 5715131 Ext. 42266 E-mail : <u>ntmc8000@my.nthu.edu.tw</u>	Link Here
Solar Cell	Solar Simulator (Service Suspended)		<u>Link Here</u>	Download	Ms. Tai TEL: 03 - 5742292 or NTHU Ext. 42288/35332/42292 E-mail : yhtai@mx.nthu.edu.tw	Ms. Tai TEL: 03 - 5742292 or NTHU Ext. 42288/35332/42292 E-mail : yhtai@mx.nthu.edu.tw	Link Here
Solar	R Incident Photon Conversion Efficiency (IPCE) (Service Suspended)	R132 in NTHU Lab	Link Here	Download	Ms. Tai TEL: 03 - 5742292 or NTHU Ext. 42288/35332/42292 E-mail : yhtai@mx.nthu.edu.tw	Ms. Tai TEL: 03 - 5742292 or NTHU Ext. 42288/35332/42292 E-mail : yhtai@mx.nthu.edu.tw	Link Here

E-Gun Evaporation System (I)

[Instrument introduction]

-
 Brand Model: ULVAC



\equiv \cdot Application

The system can deposit Al Ti Au Pt Cu Cr metal film.

Ξ · Equipment Specifications

- Power supply: Maximum 300 W •
- Substrate heating: 0~300 °C •
- Operating pressure: < 8*10⁻⁶ torr •
- Crucible size: 10 cc •

× Notices

The chamber can accept 4 inch (12 pieces) or 6 inch (3 pieces) and if your wafer size less than 4 inch, please use the heat resistant tape to fix your sample on the 4-inch wafer.

We can accept the maximum deposit film 800nm thickness.

For the process procedure include from load the sample in the chamber and wait the process temperature down to the room temperature and then finish pump down procedure

The Center support metal source include Ti Al Cu Cr.

We can help customer do the ODM to deposit Au Pt film.

We will charge from this form. (The costs of materials are listed below.)

Instrument		List of Charge		NT	NTHU		mics	Industry
	Common metal		Cu · Al	NTD 75/hr		NTD 115/hr		NTD 150/hr
			Cr 、Ti	NTD 150/I		NTD 200/hr		NTD 300/hr
	List of Charge			NTHU		OTHERS		
E-gun l		Au		<mark>NTD 4,712/g</mark>			NTD 5,890/g	
(Consumable cost for E-			Pt		<mark>NTD 3,000/g</mark>		NTD 3,750/g	
gun I)		oble letal	 Prices are subject to change according to market rates without prior notice. The costs of noble metals are calculated by measuring the used weight with the unit of a gram. The costs of common metals are basing on the processing time, and the maximum charge is up to 4 hours. 					
	The	user sho	ould check tl	ne integrity	of both the	e source mat	terial and	the crucible with the

Back to

E-Gun Evaporation System (I)

[Service & Charge]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of	NTHU	Academics	Industry		
E-Gun Evaporation System I		NTD 25/min	NTD 37/min	NTD 50/min	
(The processing time includes the time of vacuuming, depositing, and cooling. The necessary charge hours are 2	Charge of manufacturing service	The cost of the consumable will additionally charge based on the use of material.			
hours.)	Charge of Self-Operating	NTD 12/min	NTD 18/min	NTD 24/min	

E-Gun Evaporation System (II)

[Instrument introduction]

- • Brand : FSE



\equiv \cdot Application

Evaporation of oxide film by E-gun

- Ξ · Specifications
 - Operating pressure: < 6.5*10⁻⁶ torr
 - Wafer Size: 4 inch Wafer*4 or 6 inch Wafer*4; If it is chip, it must be fixed on Wafer fist by your-self.
 - Provide material types: SiO₂ \ Al₂O₃ \ TiO₂

E-Gun Evaporation System (II)

Back to [Instrument List]

[Service & Charge]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

		Instrument/ List of	Char	NTHU	Acad	lemics	Industry		
	E-Gun Evaporation System II (The processing time includes the time of vacuuming, depositing, and				NTD 25/min NTD 3		37/min	NTD 50/min	
				Charge of anufacturing service	The cost of the consumable will additionally charge based on the use of material.				
	cooling. The necessary charge hours are 2 hours.)			Charge of Self-Operating	NTD 12/min	NTD 18/min		NTD 24/min	
	Instrum	ent/ List of Charge		NTHU	Academics		In	Industry	
	E-gun II SiO2			NTD 75/hr	NTD 113/hr		NTD 150/hr		
	Material	Al2O3 TiO2		NTD 100/hr	NTD 150/hr		NTD 200/hr		
	Charge			NTD 125/hr	r NTD 188/hr		NTD 250/hr		

Polymer Deposition System (PDS)

[Instrument introduction]

- • Brand and model : PDS2010



\equiv \cdot Application

Parylene coating

Ξ · Specifications

- Parylene C \ N \ D
- Wafer size :4" 6" wafer and chip
- Cavity volume 4"wafer *9 or 6"wafer *3

Back to

Polymer Deposition System (PDS)

[Service & Charge]

Back to [Instrument List]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Ch	NTHU	Academics	Industry	
Polymer Deposition System (PDS) (The processing time includes the time				
of vacuuming, heating, depositing, and cooling. The necessary charge hours are 8 hours.)	Charge of	NTD 11/min	NTD 16/min	NTD 22/min

SAMCO PECVD System

[Instrument introduction]

-
 Srand and model : Samco PD-220N



\equiv \cdot Application

For SiO₂ (SiH₄ + N₂O) & Si₃N₄ (SiH₄ + NH₃+N₂) Deposition ; TEOS-Oxide(Characterization service only) •

Ξ · Specifications

- Wafer size: chin~ 4" silicon wafer (size over 4" please contact with the technician first)
- RF Power: <200W
- Temperature: < 300 °C •
- Uniformity : < 5 % •

SAMCO PECVD System

[Service & Charge]

Back to [Instrument List]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List o	of Charge	NTHU	Academics	Industry
SAMCO PD-220N (The processing time includes the	Charge of manufacturing service	NTD 25/min	NTD 37/min	NTD 50/min
time of depositing and cleaning. The necessary charge hours are 2 hours.)	Charge of Self-Operating	NTD 11/min	NTD 16/min	NTD 22/min

DC Sputter System



[Instrument introduction]

- • Brand and model : ULVAC Co. Japan (Vacuum system: ULVAC Mechanical pump & ULVAC Cryo pump 16P)



\equiv \cdot Application

Sputtering Ti 、 Pt 、 Ni 、 Cu 、 Ag 、 W 、 Au 、 Al 、 Cr 、 Mo

\equiv · Important specifications

- Process gas: Ar
- Wafer size: 4 inch silicon wafer, maximum 8 wafers per run \circ
- Power supply: maximum 100 ~ 300 W •
- Operating pressure: 8* 10⁻⁶ torr •

※ Note :

This equipment could accept break wafers (please attach it onto a 4 inch full wafer.)

Please describeyour target thickness and materials, and draw the cross-sectional view of your wafer on the application form.

Precious metal will be charged depends on used weigh, and the charge should be paid right after usage by cash. Please check the metal charge standard below.

Instrument	List of	f Charge	NT	ΉU	Acade	mics	Industry	
	Common	Cu · Al	NTD 15	0/10min	NTD 200/10min		NTD 250/10min	
		Cr 、Ti	NTD 250/10min		NTD 380/10min		NTD 500/10min	
	metal	W [、] Ni	NTD 400/10min		NTD 550/10min		NTD 700/10min	
		Ag	NTD 600/10min		NTD 80	0/10min	NTD 1,000/10min	
DCCoutton	List of	fCharge	NTHU				OTHERS	
DC Sputter (Consumable	Noble metal	Au	<mark>NTD 4,712/g</mark>		<mark>2/g</mark>	<mark>NTD 5,890/g</mark>		
cost for DC		Pt		NTD 3,000	<mark>)/g</mark>		NTD 3,750/g	
Sputter)	 For a sta material The cost The user technicia certainly The nob 	cost for a customiz s of consumables a should check the i an when he/she bou transfer the charge	ng service, f zed service i ire calculate ntegrity of l rrows the ta e to the use lowed to bo	the charge o s basing on d by measur both the sou rget as well r. prrow. If you	f consumable is the process. ring the used wo rce material and as turns it back.	s up to 30 mi eight with th d the crucibl . Any damag	inutes. However, the le unit of a gram. e with the corresponding es to the target will netal film via DC Sputter,	

DC Sputter System

[Service & Charge]

Back to [Instrument List]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of C	NTHU	Academics	Industry		
DC Sputter System	Charge of	NTD 25/min	NTD 37/min	NTD 50/min	
(The processing time includes the time of vacuuming, depositing, and cooling. The necessary charge hours	manufacturing service	The cost of the consumable will additionally charge based on the use of material.			
are 2.5 hours and 3 hours for manufacturing service and self- operating respectively.)	Charge of Self-Operating	NTD 8/min	NTD 12/min	NTD 16/min	

RF Sputter System

[Instrument introduction]

- • Brand and Model : ULVAC RFS-200S



\equiv \cdot Purpose

Sputter deposition of TiO₂, TIN, Ti on the substrate

- Ξ · Specifications
 - Sputtering power supply: RF: 50~300W, DC pulse: 60-300W
 - Main pump: CRYO pump
 - Ultimate chamber pressure: 1*10-6TORR
 - Uniformity: 4" wafer: < 5%
 - This equipment is a single chip process: 4 inch*1 or 1 inch*6 (Choose one to use)
 - The maximum flow rate of nitrogen and oxygen is 30 sccm
 - The machine has a bias function (the upper limit of use must be lower than 150 V)
 - The machine has a heating function (the upper limit of use must be lower than 350 °C)

Notice:

- 1. This machine is a research experimental machine and the users need to prepare their own targets.
- 2. The use of equipment includes vacuum relief and sample input + process + cooling + sample retrieval + vacuum establishment. After that, the users can log out of the system.
- 3. Please do not leave the site during the manufacturing process (not including cooling).
- 4. There is only one-piece Ti target in the center. Please register with the administrative Ms. Wan-Chin Chuang if you want to borrow the target material.

Back to [Instrument List] The specifications of the copper backplane are as follows



If you use the copper backplane provided by the center, you need to order a 3-inch round target with a thickness of 4 mm.

If you purchase one-piece targets, the specifications are as follows:





RF Sputter System

[Service & Charge]

Back to

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of C	Charge	NTHU	Academics	Industry
RF Sputter System (The processing time includes the time of vacuuming, cooling, and operating time.	Charge of manufacturing service	NTD 25/min	NTD 37/min	NTD 50/min
Minimum usage hours: entrusted operation: 2 hrs self-operation: 2.5 hrs)	Charge of Self-Operating	NTD 10/min	NTD 15/min	NTD 20/min

Field Emission Scanning Electron Microscope

(JSM-IT800)

[Instrument introduction]

1. Brand : JSM-IT 800 (Semi-In-Lens) °



2 · Application

- Surface structures inspection on the samples such as metal, ceramics and polymer, etc.
- Energy Dispersive Spectrometer (EDS) is capable of detecting elements, provides a qualitative identification and semi-quantitative analysis .

Back to

3 Specification

- Voltage : 0.5 to 30 KV \circ
- Magnification : 30 to 500000 °
- Resolution : 0.8nm (15 KV) > 0.7 nm (1KV) > 3.0 nm (15KV, 5 nA) •

4 · Auto Fine Coater

The JEOL Smart Coater (JEC-3000FC) is a fully automated sputter coater that applies a fine grained gold or platinum (option) coating on samples for imaging in a scanning electron microscope.



5 · Air Isolated Transfer System

JEOL has built a special air-lock system that can handle the transfer of air-sensitive specimens to be imaged in the SEM without atmospheric exposure. Applications include: components in rechargeable batteries, fuel cells, and catalysts among others. Any exposure to oxygen or moisture in the air can completely alter or destroy the structure of these highly reactive materials.

Transfer vessel



Field Emission Scanning Electron Microscope

(JSM-IT800)

Back to [Instrument List]

[Service & Charge]

Preferential schemes from 2023/09/01:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note :

- 1. The charge is calculated by the unit of 15 minutes when the using time exceeds the necessary charge hours.
- 2. The fee schedule has been effective since May 15, 2025.

Instrument/ List of Charge		NTHU	Academics	Industry		
Field Emission Scanning		NTD 2,400/hr	NTD 3,500/hr	NTD 5,500/hr		
Electron Microscope	Charge of Characterization Service	【Fee of report】				
(The necessary charge hour		An additional NTD2	2000 is required fo	r CNMM formal		
is 1 hour for manufacturing		report.				
service and self-operating respectively.)	Charge of Self-Operating	NTD 1,500/hr	NTD 2,500/hr	NTD 4,500/hr		
(The necessary charge hours are 2 hours for visiting activites.)	or visiting transfer vessel					
	Auto Fine coater	NTD 200/10mins	NTD 300/10mins	NTD 400/10mins		

Lithography Area in NTHU Lab Cleanroom [Wet Bench (2 Sets) & Spin Coater & Hot Plate & Hood] [Instrument introduction]

-
 Brand and Model



 \Box · Equipment Specifications

Wafer should be less than 6 inches (including 6 inches wafer)

- ※ Attention
 - If the experiment contains metal or Acetone, please operate on the left half of cleaning bench (operation in the right half of cleaning bench is prohibited). The right half of cleaning bench is used for lithography process. (The area operated by the two cleaning benches, the left half area is operated metal and the right half area is operated by lithography process).
 - Acidic chemicals and alkaline chemicals are prohibited to operate in the cleaning bench.
 - All areas in the lithography laboratory are shared. Please do not place personal laboratory appliance.
 If you do not apply to place chemicals or private laboratory appliance, confiscate appliance and charge the relevant fees.
 - After using the chemical waste solution, please use the recycling system to recover.

[Service & Charge]

From 2024/06, all NTHU Lab Cleanroom users should pay the cleanroom facility charge as entering the cleanroom.

The corresponding fees:

800 NT/day for each person for the Lithography area (A day is defined from 00:00 to 23:59.) 400 NT/day for each person for the Chemical area

100 NT/day for each person for the White-light area (The White-light area is the area within the cleanroom except the regions of Lithography area and Chemical area.)

If the user has used any instruments in the specified area, the cleanroom facility charge will be removed automatically. For example, if a student uses an instrument located in the White-light area, then the expense of the White-light area will not be calculated. If he uses an instrument located in the Lithography area, then the costs of White-light area and Lithography area will be canceled.

Chemical Area in NTHU Lab [Station I & Station II & Station III]

[Instrument introduction]

Back to [Instrument List]

— ` Make/Model



 \equiv \cdot Application

Cleaning, Wet etching

Ξ \cdot Specifications of wafer

4", 6", and broken wafercan be used in the Cleanroom.

Cleaning the 4" wafer can borrow the wafer cassette from Miss. Zhuang at CNMM, but cleaning the 6" and broken wafer needs to bring your own wafer cassette.

※ Precautions

- Using the chemical station needs to wear protective equipment and aware of rules and regulations.
- Please write the record book before use, using without record will have a severe penalty.
- Before using sulfuric acid to remove photoresist at station 2, need to use acetone and DI water clean the wafer first.
- To prevent chemical cleaning bench pollution and safety consideration, use DI water clean the bench before the next process.
- Station 3 is only used as auxiliary space for users of Station 1 and Station 2. (Everyone takes turns to use it after coordination.)
- No one is allowed to use chemicals at Station 3.
- To avoid penalties for violations, please read the manual beside the b or the latest version manual on the website before the operation.
- Please bring your own gas mask.

Chemical Area in NTHU Lab [Station I & Station II & Station III]

[Service & Charge]

Back to [Instrument List]

Preferential schemes:

[Generous discount**]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Note 4: The charge is calculated by the unit of 15 minutes when the using time exceeds the necessary charge hours.

Instrument/ List of Charge		NTHU	Academics	Industry
Chemical Area (Minimum foundry	Charge of manufacturing service	NTD 20/min	NTD 25/min	NTD 30/min
(Minimum foundry working time is 1hr) (Daily billing for self- operating)	Charge of Self-Operating	NTD 400/day	NTD 400/day	NTD 400/day

※ The 4" wafer cleaning stander of OEM is use H2SO4 and BOE cleaning. Other cleaning processes must discuss the feasibility with the manager, the fee will cost additional.

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry
	Charge of manufacturing service			

Surface profiler System

[Instrument introduction]

Back to [Instrument List]

– 🔨 Model : DektakXT



\equiv • Purpose

Two-dimensional surface profile measurement and analysis

Three-dimensional measurement analysis (not open to use), if you have special needs, please contact the manager to discuss.

Ξ · Specifications

Stage Size	Max:6 inch
Force	1-10mg
Tip radius	2 μm
Vertical range	smaller than 1mm
Measurable minimum depth	Nano-scale film
and height	
Sample thickness	50 mm
Scan range	55 mm
Camera	3.1 million pixel
Step repeatability	1 sigma at 1000 Å, the standard step film must
	be less than 4 Å,

<u> XNotice:</u>

- If the material is soft, you can set Stylus Force to 1.
- If the size of measured sample is smaller than 2*2 cm, please stick it on the large-size blank by yourself.

Surface profiler System

[Service & Charge]

Back to

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry
Surface profiler System (The minimum charge of manufacturing service is 1 hr)	Charge of manufacturing service		25 NTD/min	30 NTD/min
	Charge of Self-Operating	10/ min	15 NTD/min	20 NTD/min



[Service & Charge]



Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry
	Charge of manufacturing service			
	Charge of Self-Operating			

Spectroscopic Ellipsometry

[Instrument introduction]

- • Brand and model : JA Woollam (Model: M2000)



Measure the film thickness in a non-contact, non-destructive way.

Ξ · Specifications

- (1) Measuring spectrum range: 2 45nm 1000nm
- (2) Light source: 75-watt xenon lamp

(3) Measurement method: With automatic variable measurement angle, the measurement angle can be set through the computer, and the incident angle range is from 45 degrees to 90 degrees

(4) stage form: 200mm \pm 10mm sample table size, movement stroke: X- the Y are both 100mm \pm 10mm; with vacuum suction horizontal platform, need comprise a vacuum pump

- (5) measuring thickness range: 5 nm to 5 μ m
- (6) Substrate types: Si, Glass, Quartz, stainless steel

(7) Types of thin film materials: organic polymer materials, nitrides, semiconductor materials, dielectric materials, metal materials, etc.

$\square \ \ \ \ Measurable$ items

- (1) Film thickness
- (2) Optical constants of the film or substrate material (ex: refractive index n, extinction coefficient k)
- (3) Film surface roughness
- (4) Multilayer materials
- Ξ · Attention
 - (1) The recommended size of the test piece is larger than 2*2cm2

(2) The currently open self-operated and measurable films are: SiO2, SiNx, Ta2O5, Al2O3, SiC; please contact the administrator for other films to be measured.

Spectroscopic Ellipsometry



[Service & Charge]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry
Spectroscopic Ellipsometry (Clean process and operating time are	Charge of manufacturing service		NTD 35/min	NTD 45/min
included in the billing, the minimum usage time is 1hr)	Charge of Self-Operating	NTD 15/min	NTD 25/min	NTD 35/min

[Instrument introduction]

— • Brand and model :

 \equiv \cdot Applications

 Ξ · Important specifications

× Notification

[Service & Charge]

Preferential schemes:

[Generous discount**]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry
	Charge of manufacturing service			
	Charge of Self-Operating			

Reactive Ion Etcher (RIE)

[Instrument introduction]

Manufactory & Model : CNT-RPA08



\equiv \cdot Applications

Etch Silicon base

- Ξ · Important specifications
 - RF Power : 50~300W,13.56 MHz •
 - Gas : CF4 $\$ SF6 $\$ CHF3 $\$ O2 $\$ Ar $\$
 - Main pump: Turbo pump •
 - Process pressure : 5~300 mTorr •

<u>× Note</u>

- Wafer size : 1*1 cm² ~ 6-inch Full wafer
- Etching mask : PR Silicon oxide Silicon nitride Cr Al
- The wafer CAN NOT contain Au, Cu, Pt, Fe, Co, Ni...etc. and its oxide.

Reactive Ion Etcher (RIE)

[Service & Charge]



Preferential schemes:

[Generous discount**]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry
Reactive Ion Etcher (RIE) (The processing time includes the time	Charge of manufacturing service	NTD 25/min	NTD 37/min	NTD 50/min
of etching and cleaning. The necessary charge hours are 1 hours.)	Charge of Self-Operating	NTD 12/min	NTD 18/min	NTD 24/min

[Instrument introduction]



- \cdot Brand and model :
- \equiv \cdot Applications
 - •
- Ξ · Specifications
 - •
[Service & Charge]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry
	Charge of manufacturing service			
	Charge of Self-Operating			

DLP Maskless Exposure System

[Instrument introduction]

- • Manufactory & Model : ARMS (Japan) / UTA-IIIA



\equiv \cdot Specialities

- Because the lamp source is LED, you can exposure immediately without lamp pre-heating.
- DLP resolution is 1280 x 1024 pixels.
- Exposure process do not need the Mask.
- The pattern edit function is included in software.
- The min. line width can $\leq 3\mu$ m depend on the lens magnification and PR.
- The single-side alignment accuracy limited on lens.
- The XY movement stage range is 75mm x 50mm.

<u>× Notation</u>

• Process relative materials (ex. PR) should be prepared by yourself.



DLP Maskless Exposure System

Back to [Instrument List]

[Service & Charge]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Char	NTHU	Academics	Industry	
DLP Maskless Exposure System (The minimum charge time is 1 hr. including	Charge of manufacturing Service		NTD 75/min	NTD 100/min
"Spin, Baking, Startup , Shutdown and Process")	Charge of Self-Operating	NTD 32/min	NTD 48/min	NTD 64/min

EVG620

[Instrument introduction]

- • Brand Model : EVG620



\equiv \cdot Application

Pattern transfer process

Ξ · Important Specifications

- Wafer size : Si wafer(1~4inch) · Thickness between 0.1~2 mm
- Mask size : 5 inch mask size and the mask thickness must less than 4 mm
- Range of alignment : X, Y, Z : +/- 5 mm ; Rotation Theta : +/- 3.5°
- Alignment accuracy : Mask aligner:0.5um for top side alignment(With 20X obj)
- Exposure mode : soft contact, hard contact, vacuum contact
- Mercury lamp light source : Standard lamp power 350W.
- Exposure Intensity : 10mw/cm²
- Standard NUV for 350 450nm

※Notification

Please prepare the demanded photoresist by yourself. CNMM only sells EPG512 and AZ4620 (Both of them are positive tone photoresist.)

Back to

EVG620

[Service & Charge]

Back to [Instrument List]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry
EVG620 (The processing time includes the time of spin coating, baking, aligning,	Charge of manufacturing service	NTD 50/min	NTD 75/ min	NTD 100/ min
exposing, and lamp cooling. The necessary charge hours are 2 hours.)	Charge of Self-Operating	NTD 26/min	NTD 39/ min	NTD 52/ min

NX2000 Nano Imprint System

[Instrument introduction]

• Brand and model : Nanonex / NX2000



 \equiv \cdot Applications

Use hot pressing or illumination imprint to transfer the pattern.

- \equiv · Important specifications
 - Imprint mode : Thermal curing,UV curing 4 inch wafer or broken sample
 - Pneumatic pressurization : 0~600 psi
 - Heating range of hot pressing : RT~200 °C
 - 500 W Mercury lamp light source : 320~390 nm

※ Notification

• User can contact with the center if need some help with the process flow.

NX2000 Nano Imprint System

[Service & Charge]

Back to

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry
NX2000 Nano Imprint System	Charge of			
(The processing time includes the	manufacturing service			
time of spin coating, imprinting, and				
turing on and off process. The necessary charge hours are 2 hours.)	Charge of Self-Operating	NTD 10/min	NTD 15/min	NTD 20/min

E-beam Lithography System

[Instrument introduction]

• Manufactory & Model : ELIONIX INC. /ELS-7800



\equiv \cdot Applications

Use electron beam direct writing to transfer the designed circuit layout onto the specimen.

\equiv · Important specifications

- Voltage: 80KeV
- Electric beam current: 10pA ~ 600pA
- Minimum line width: 20nm (Tool resolution capability), 50nm (positive resist, 80-nm thickness), 70nm (positive resist, 200-nm thick
- Substrate size: 2 inch~6 inch full wafer or square specimen (specimen should be larger than 10x10mm² but smaller than 30x30mm²

<u>× Precautions</u>

• The substrate should be electrically conductive. If not, a conductive layer is required. Please ask when request for a foundry service.

E-beam Lithography System

[Service & Charge]

Back to

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Note 4: The charge is calculated by the unit of 15 minutes when the using time exceeds the necessary charge hours.

Instrument/ List of Charge			NTHU	Academics	Industry
	manufacturing	Basic Operation	NTD 3,000/2hrs	NTD 4,500/2hrs	NTD 6,000/2hrs
E-beam lithography system	service	Charge Counted	NTD 25/min	NTD 37/ min	NTD 50/ min
The minimum charge time is 2 hrs.	Self-	Basic Operation	NTD 2,880/2hrs	NTD 4,320/2hrs	NTD 5,760/2hrs
	Operating	Charge Counted	NTD 24/ min	NTD 36/ min	NTD 48/ min

[Note]

- The qualification for operating this equipment is primarily for doctoral students or dedicated assistants. If there is a need for self-operation but the laboratory has no doctoral students or dedicated assistants, an application can be submitted to the center. After evaluation by the center, the advisor can assign one master student as the representative of the laboratory. Once licensed, the student can operate the equipment independently, but only one master student is allowed per laboratory..
- 2. Those who operate the machine by themselves or join the membership must be trained 5 times, and they can use the machine only after passing the assessment.
- 3. After obtaining the self-operation qualification, every six months, there must be record of use in order to renew the operation.

O₂ Plasma Cleaning System

[Instrument introduction]

- • Brand and model : SAMCO • Model PC-300





\equiv \cdot Applications

PR etch

Ξ · Important specifications

- Wafer size : Piece wafer < 4" wafer (max 12 piece) ~ 8" wafer (max 3 piece) ~
- Power supply : Maximum 300 W •
- Gas : Ar \cdot O₂ \circ
- Main pump : Rotary pump •

O₂ Plasma Cleaning System



Back to [Instrument List]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List c	NTHU	Academics	Industry	
O ₂ Plasma Cleaning System (The processing time includes	Charge of manufacturing service	NTD 20/min	NTD 30/min	NTD 40/min
the time of etching and cleaning. The necessary charge hour is 1 hour.)	Charge of Self-Operating	NTD 10/ min	NTD 15/min	NTD 20/min

RTP System

[Instrument introduction]

- • Brand and model : Premtex RTP-S61-M



\equiv \cdot Applications

Carrier Disk Type	Annealing Material	Gas			
Carrier A:SiC	Oxide/nitride/siliconetc.	All			
Pollution-free Process					
Carrier B:Graphite (with cover)	Metal structure/III-V compoundsetc	NO 02			
Dirty Process					
Note					
1.Prohibit organic/low melting point/vc	latile materials.				
2.The carrier B belongs to dirty process,	so be sure to cover it when operating the system	1			
3. Please select the "correct" carrier when using to avoid chamber contamination.					
4.Handle the carrier carefully.					
If you have any questions about the abo	ove, please contact us.				

Ξ · Specifications

Wafer size : Piece wafer \ 4" wafer ~ 6" wafer

Maximal Ramping Speed:

- 40°C/sec for Graphite
- 30°C/sec for SiC

Process Temperature:200~1000°C

Maximal Process Time:

- T<500°C:10min
- T<800°C:5min
- T<1000°C:3min

Process Gas :

- N2 3SLM/ N2 30SLM
- O2 500SCCM/ Ar 500SCCM

RTP System

[Service & Charge]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of	NTHU	Academics	Industry	
RTP System (The processing time includes the	Charge of manufacturing service	NTD 20/min	NTD 30/min	NTD 40/min
time of vacuuming, heating, annealing and cooling. The necessary charge hour is 1 hour.)	, Charge of	NTD 10/min	NTD 15/min	NTD 20/min

UV & Ozone Dry Stripper

[Instrument introduction]

- • Brand and model : SAMCO UV-1



\equiv \cdot Applications

Wafer surface cleaning

Ξ · Important specifications

- Applicable for III-V wafer and wafer which contains metals.
- Gas : O2

UV & Ozone Dry Stripper

[Service & Charge]

Back to [Instrument List]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry
UV & Ozone Dry Stripper The processing time includes the time of heating,	Charge of manufacturing service	NTD 17/min	NTD 25/min	NTD 34/min
stripping/etching, and cooling. The necessary charge hour is a half-hour.)	Charge of Self-Operating	NTD 3/min	NTD 5/min	NTD 6/min

Field Emission Scanning Electron Microscope (JSM-7000F)

[Instrument introduction]

Back to [Instrument List]

一、 廠牌型號:

Brand: JSM-7000F, JAPAN ELECTRON OPTICS LABORTARY CO., LTD. (JEOL) 。



\equiv • Application

- Micro structures inspection on the various samples such as metal, ceramics and polymer, etc.
- An additional component of energy dispersive spectrometer (EDS) of X-ray provides a quantitative identification and semi-quantitative analysis of sample elements.

\equiv \cdot Specification

- Voltage : 0.5 to 30 KV •
- Magnification : 30 to 250000 •
- Resolution : 1.2 nm (30 KV)
 1.5 nm (15 KV)
 3.0 nm (1KV)

\square \land Auto Fine Coater

The JEOL JFC-1600 Auto Fine Coater is designed to coat non-conductive specimens, such as biological specimens primarily for use in scanning electron microscope with high efficiency within a short time.



Field Emission Scanning Electron Microscope (JSM-7000F)

[Service & Charge]

Back to

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Note 4: The charge is calculated by the unit of 15 minutes when the using time exceeds the necessary charge hours.

Note5: The fee schedule has been effective since May 15, 2025.

Instrument/ List	NTHU	Academics	Industry	
Field Emission Scanning			Use JSM-IT800	
Electron Microscope	Charge of Characterization Service	[Fee of report]		
(The necessary charge hour		An additional NTD2	2000 is required for	r CNMM formal
is 1 hour for manufacturing		report.		
service and self-operating respectively.)	Charge of Self-Operating	NTD 1,000/hr	NTD 2,000/hr	NTD 3,600/hr
(The necessary charge hours are 2 hours for visiting activites.)	Auto Fine coater	NTD 200/10mins	NTD 300/10mins	NTD 400/1 0 mins

[Instrument introduction]

[Service & Charge]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Charge		NTHU	Academics	Industry

High Vacuum Scanning Probe Microscope (SPM)

[Instrument introduction]

- • Brand : SEIKO SPA-300HV



\equiv Specification

1. Hardware control system

- Scan speed: 0.05 ~ 125 Hz ; nm ~ μm /sec \circ
- Scan rotation : 360 degree (± 0.1degree) •
- Bias on the sample $\pm 10V$ \circ
- Control resolution: X-Y :18 bits DAC \pm 200V ; Z : 21 bits DAC \pm 200V \circ

2. Scanner: 20 um scanner

- Scan area: horizontal nm~20um, vertical: ~1.6um
- resolution ≤0.2 nm , vertical resolution ≤0.01 nm •
- sample size \leq 35mm dimension 1 cm x thickness 10mm \circ
- Manual mechanical movement range: ± 2.5 cm.

三、儀器功能

- 1. Atomic Force Microscope (AFM)
- 2. Dynamic Force Microscope (DFM)
- 3. FFM (Friction Force Microscopy)
- 4. Vector Scan (Lithography)
- 5. MFM (Magnetic Force Microscopy)
- 6. PFM (Piez Response Microscopy)
- 7. KFM (Kelvin Force Microscopy)
- 8. (Conductive-AFM)



High Vacuum Scanning Probe Microscope (SPM)

[Service & Charge]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of C	Instrument/ List of Charge		Academics	Industry
		NTD 1,500/hr	NTD 2,250/ hr	NTD 3,000/ hr
High Vacuum Scanning Probe Microscope (The necessary charge hours are 1 hour and 2 hours for manufacturing service and self- operating respectively.)	Charge of Characterization Service	pretreatment,	sing time includes measuring, and da D2000 is required f	ata processing.
	Charge of Self-Operating	NTD 750/ hr	NTD 1,125/ hr	NTD 1,500/ hr

High Resolution Transmission Electron Microscope (HRTEM)

[Instrument introduction]

Back to



— • Model : JEOL JEM-F200

☐ • Performance

- Acceleration voltage : 200KV and 80KV •
- Type : Cold Field Emission Gun •
- TEM Point resolution : 0.19nm@200KV •
- TEM lattice resolution : 0.10nm@200KV and 0.14nm@80KV •
- STEM Lattice resolution : 0.14nm@200KV and 0.31nm@80KV •
- STEM Detectors : DF, BF(ABF) and BEI •
- Double tilted holder •

High Resolution Transmission Electron Microscope (HRTEM)

[Service & Charge]

Back to

Instrument/ List o	NTHU	Academics	Industry	
High Resolution Transmission Electron Microscope	Charge of Characterization Service	NTD 18,000/pic		
(The necessary charge hours are 3 hours.)	Charge of Self-Operating			No self- operating

Dual-beam Focused Ion Beam system (FIB)

[Instrument introduction]





--- Model : FEI Helios Nanolab 600i System

\equiv \cdot Application

- For TEM specimens preparation
- Nano structure manufacturing
- Deposition for circuit repair
- Cross-section observed

Ξ · Performance

	SEM	FIB				
Acceleration voltage	350V -30 KV	500V -30 KV				
Probe current	0-22 nA	1.1 pA – 65 nA				
Resolution	< 0.9 nm (15 KV) < 1.4 nm (1 KV)	< 4 nm (30KV)				
GIS	Pt, Au, TEOS					
Omniprobe 200						
Energy Dispersive Spectrometer (EDS)						

\blacksquare $\$ Self-operating license

- Restricted to doctoral students and postdoctoral researchers, who have license to use scanning electron microscopes, and have taken courses in material analysis. Eligible students/researchers can register through the contact below.
- Registration contact: Miss. Zhuang, CNMM of Tsinghua University (Room 520, Tsinghua University-Innovation Incubation Building, ext. 42266, ntmc8000@my.nthu.edu.tw).
- After training and qualify, you can get a self-operating license.
- After obtaining the self-operating license, the users are responsible for damages due to operational errors caused by the users.

[Service & Charge]

Back to [Instrument List]

Instrument/ List of Charge			NTHU	Academics	Industry	
	Charge of	General user	NTD2,000/hr	NTD 3,500/hr	NTD 6,000/hr	
	Charge of Characterization Service	VIP user	Prepayment of 100,00 20% off disc	, <u> </u>	Prepayment of 300,000 NT, you get a 20% off discount.	
Dual-beam Focused Ion Beam System (FIB)		General user	A 25% off discount of 2,000 NTD/hr	No self- operating	No self- operating	
(Characterization service: The necessary charge hours are 2 hours. The charge is calculated by the unit of an hour when the using time exceeds the necessary charge hours. Self-operating: The necessary charge hours are 3 hours. The charge is calculated by the unit of 15 minutes when the using time exceeds the necessary charge	Charge of Self-Operating	VIP user	【 Prepayment of 100,000 NT, you get a 40% off discount. 】 【 Prepayment of 300,000 NT, you get a 50% off discount. 】	No self- operating	No self- operating	
			Depositing gold metal on the sample will be additionally charged 1,000 NT for each minute when the deposition is processing. Depositing TEOS on the sample will be additionally			
hours.)	Consumabl	e cost	charged 100 NT for each minute when the depositi is processing.			
			Depositing platinum on the sample is free when the deposition time is not over 3 minutes. Or it will be additionally charged 100 NT for each minute when the time exceeds 3 minutes.			

Solar Simulator

[Instrument introduction]

- • Brand : Oriel class A, 91160A, Newport Corporation

Solar simulation is used to measure the photoelectric conversion of solar cells.

The intensity of standard solar is defined as 100 mW/cm2 AM 1.5G. Standard solar cell is supported to calibrate the intensity of solar simulator before measurement °



- \equiv \cdot Specification
 - Simulator Type: Full Spectrum Solar Simulator •
 - Lamp Type: 300 W Xenon, Short Arc •
 - Beam Size: 2 x 2 in. (51 x 51 mm) •
 - Collimation: <±10° •

Solar Simulator

[Service & Charge]

Back to

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ L	ist of Charge	NTHU	Academics	Industry
Solar Simulator	Charge of Characterization Service	NTD 750/hr	NTD 1,125/hr	NTD 1,500/hr
(The necessary charge hour is 1 hour.)	Charge of Self-Operating	NTD 400/hr	NTD 600/hr	NTD 800/hr

Incident Photon Conversion Efficiency (IPCE)

[Instrument introduction]



- • Brand : ENLI, EQE-D-3011, ENLI Technology Co., Ltd

IPCE (Incident Photon-to-electron Conversion Efficiency) is the conversion ratio of the incident photon to electron by a photovoltaic cell.



 \equiv • Specification

- Wavelength range: 350-1100 (nm) •
- Wavelength interval: adjustable, 1-50(nm), (Default 5 nm) •
- Chopping frequency: adjustable, (4~5 kHz, MCU controlled) •
- Auto Jsc calculation with reference solar spectrum or consumer input •
- S/N ratio >500 •
- Precision, error bar: < 2% •
- Repeatability: > 95% •
- Light Bias: Optional component •
- Voltage Bias: Optional component •
- Rapid: < 4 min for one trip measurement, 300-1100 nm •
- Lamp lifetime: QTH lamp-2000hrs •

Incident Photon Conversion Efficiency (IPCE)

[Service & Charge]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List of Cha	NTHU	Academics	Industry	
Incident Photon Conversion Efficiency	Charge of Characterization Service	NTD 750/hr	NTD 1,125/hr	NTD 1,500/hr
(The necessary charge hour is 1 hour.)	Charge of Self-Operating	NTD 400/hr	NTD 600/hr	NTD 800/hr

EVG610

[Instrument introduction]

- • Brand Model : EVG610



\equiv \cdot Application

Pattern transfer process

Ξ · Important Specifications

- Wafer size : 4-inch or 6-inch Full wafer. Thickness between 0.1~10 mm.
 (If the substrate is not a full wafer, please stick it on 4-inch or 6-inch full wafer.)
- Mask size : 5-inch or 7-inch mask. the mask thickness must less than 4 mm
- Exposure platform uniformity : 6-inch full wafer range \leq 3%
- Thickness 1 μ m photoresist resolution (soft contact mode) : Single line \leq 3 μ m
- Top-side alignment accuracy : ±1 μm (Top side microscope movement range X : 32~150 mm ; Y : -75~30 mm)
- Bottom-side alignment accuracy : $\pm 2 \mu m$ (Bottom side microscope movement range X : $30 \sim 100 \text{ mm}$; Y : $-10 \sim 10 \text{ mm}$)
- Exposure mode : proximity, soft contact, hard contact, vacuum contact
- LED exposure Intensity : 35 mw/cm²

※Notification

Please prepare the demanded photoresist by yourself. CNMM only sells EPG512 and AZ4620 (Both of them are positive tone photoresist.)

Back to

EVG610

[Service & Charge]

Back to [Instrument List]

Preferential schemes:

[Generous discount **]** : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount] : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

Note 1: Please pay the overdraft first before you want to attend the preferential scheme.

Note 2: You can use your preferential scheme until the prepayment is run out.

Note 3: The preferential scheme is only used for the charges of self-operating, and manufacturing service excludes the consumables, license charges, and others.

Instrument/ List	t of Charge	NTHU	Academics	Industry
EVG610 (The processing time includes the time of spin coating, baking, aligning	Charge of manufacturing service	NTD 50/min	NTD 75/ min	NTD 100/ min
and exposing. The necessary charge hour is 1 hour.)	Charge of Self-Operating	NTD 26/min	NTD 39/ min	NTD 52/ min

[Instrument introduction]

- • Brand and model : EGION TE20001



\equiv \cdot Application

E-gun evaporate the Al, Ti, Au, Pt, Cr etc. metal films(Nonopen to use self-provided crucible and source), and you can choose to clean sample surface by ion source before depositing.

Ξ · Specifications

- (1) Operating pressure: $< 3*10^{-6}$ torr
- (2) Evaporate rate : 1 A/s
- (3) Crucible size: 15 c.c.
- (4) 4-inch wafer(at most 6wafer), or 6-inch wafer(at most 4 wafer)
- (5) Fragment should be fixed on 4-inch or 6-inch wafer. (A wafer can be bought in the center. 800 TWD for one 4-inch wafer.)

Metal charging standards :

Equipme	service		NT	HU	Other academic		Industry
nt name					circles		
e-gun III	General	Al	Al NT\$150/10		NT\$200/10min		NT\$250/10min
target	metal		min				
material		Cr、Ti	NT	\$250/10	NT\$380/10min		NT\$500/10min
expenses			min				
	service		NTHU		J		OTHERS 0
	Precious	Au	NT\$4712/:		10min NT		<mark>\$5890/10min</mark>
	metal	Pt	NT\$3000/:		10min NT		<mark>\$3750/10min</mark>

Back to

	1.	The upper limit of OEM materials charge is 30min, exclusive of
		special OEM charge.
	2.	The above is reference price, and the actual price is adjusted
		according to the fluctuation of the material.
	3.	The amount of grams used is according to the actual weighing. If the
		weighing is less than 1 gram, please count it as 1 gram.
	4.	Prices are subject to change according to market rates without prior
		notice.
	lf t	he target material is damaged, the user shall be fully liable for
	со	mpensation, so please confirm the target material with the assistant
	wł	nen taking it out or returning it.
-		

E-Gun Evaporation System (III)

Back to [Instrument List]

[Service & Charge]

Preferential schemes:

[Generous discount] : The professor/advisor who prepay 50,000 NT can have a 50% discount on selfoperating charges and a 20% discount on manufacturing service.

[VIP discount **]** : The professor/advisor who prepay 500,000 NT can have a 70% discount on selfoperating and a 35% discount on manufacturing service.

[Note 1]

Those who want to enjoy the latest preferential program must have no debts.

[Note 2]

The pre-payment has no expiration date; however, when the payment is used out, it will cost the original price.

[Note 3]

The advance payment is for special funds only; the discount does not include consumables and access fees.

[Note 4]

After exceeding the minimum usage time, billing will be made every 15 minutes.

Instrument/ List of	Charge	NTHU	Academics	Industry
E-Gun Evaporation System III	Charge of	NTD 40/min	NTD 60/min	NTD 80/min
(Vacuuming, cooling and operating time are included in the billing, and	manufacturing service	Material fee is extra		
the minimum usage time is 2hr)	Charge of Self-Operating	NTD 20/min NTD 30/min NTD		NTD 40/min